

Application Note-13



2M FWH (W49V002FA) ERASE CYCLE TIME ISSUE

1. GENERAL DESCRIPTION

In checking the completion of Sector Erase, Winbond 2M FWH(Firmware Hub) provides three ways to identify it. However, users need to use them correctly for different applications.

2. DETAIL DESCRIPTION

During Erase Cycle, user can monitor the status of chip operation by using one of the following approaches:

- Wait Erase Cycle Time (200 mS)
- Polling bit (DQ7)
- Toggle bit (DQ6)

In noisy environment, noise might disturb the normal function of Toggle Bit feature (DQ6) occasionally, For system user, the easiest way to check the completion of erase commands is to wait for TEC (200 mS). (TEC: Erase Cycle Time)

3. CONCLUSION

It is recommended that system software just simply wait for TEC (200 mS) time-out during the sector erase operation before the next command.



Headquarters

No. 4, Creation Rd. III,
Science-Based Industrial Park,
Hsinchu, Taiwan
TEL: 886-3-5770066
FAX: 886-3-5665577
<http://www.winbond.com.tw/>

Taipei Office

9F, No.480, Rueiguang Rd.,
Neihu District, Taipei, 114,
Taiwan, R.O.C.
TEL: 886-2-8177-7168
FAX: 886-2-8751-3579

Winbond Electronics Corporation America

2727 North First Street, San Jose,
CA 95134, U.S.A.
TEL: 1-408-9436666
FAX: 1-408-5441798

Winbond Electronics Corporation Japan

7F Daini-ueno BLDG, 3-7-18
Shinyokohama Kohoku-ku,
Yokohama, 222-0033
TEL: 81-45-4781881
FAX: 81-45-4781800

Winbond Electronics (Shanghai) Ltd.

27F, 2299 Yan An W. Rd. Shanghai,
200336 China
TEL: 86-21-62365999
FAX: 86-21-62365998

Winbond Electronics (H.K.) Ltd.

Unit 9-15, 22F, Millennium City,
No. 378 Kwun Tong Rd.,
Kowloon, Hong Kong
TEL: 852-27513100
FAX: 852-27552064

*Please note that all data and specifications are subject to change without notice.
All the trade marks of products and companies mentioned in this data sheet belong to their respective owners.*

Publication Release Date: January 8, 2003